

□ for Cita View Josef Josek Hydrobe High	SIS X
日 - 日 3 日 2 1 2 2 2 2 2 2 1 1 1 1 2 3 2 2 2 2 2 2	
Field Name* Data Type Description Pescription Pescri	-
Diobate Date/Time Message to be delivered on this date	
S_Drectory Text Directory name where detailed information about 5_Userid is found S_S_UseriD Text Sender's userid (encrypted)	
© 5 MP Text Sender's Mobile Phone Sender's Hodale Phone	
S I/P Text Sender's Work Phone S I/P Toxt Sender's Pager Pho S I/P Toxt Sender's Pager Phode Number S I/P Toxt Sender's Pager Phode Number	
S PE Text Sender's Pager e-mail S FN Text Sender's Fax Number	
S FPEM Text Sender's Pain Plot e-med S FPEM Text Sender's Point Plot e-med S FPE Text Sender's Putter Messaging Device 1 S FPE Text Sender's Putter Messaging Device 2	
S 5_PD3 Text Sender's Ruture Messaging Device 3 D Userid Text Destination Userid	
Descripty Text Descripty name where detailed information about 0 _Userid is found Description Regular or annal Des	
O J-P Rest Destination Name Phone O WP Text Destination Work Phone	
DP Text Destination Pager Pin Destination Pager Pin Destination Pager Modern Number Destination Pager Pin Destination Pager email Dest	
D_FN Text Destination Fax Number D_FPEM Text Destination Pelm Prior e-med	
© 0 FD1 Text Destination Future Missaging Device 1 □ 0 FD2 Text Destination Future Missaging Device 2 □ 0 FD3 Text Destination Future Missaging Device 3 □ FD3 Text Destination Future Missaging Device 3	
SO PD3 Text Destination Future Messaging Device 3 SO censel Text Status of message sent to mode phone SO DP Text Status of message sent to mode phone	
Field Properties	
General Luckep Field Sim: Long Integer	
New Nation Increment Format Caption	
The field descriptions optional. It helps you decrobe the field and is also desclayed in the status has when you select this descriptions.	field on a form. Press PI for help on
Oságn verm, FE = Světih parec, FI:= fetib. 2- Microzofi Access: [DIE:: Table]	A.M
E (6 Ed Yew poor look Window leek	×لقاء :
面・日本のマードででで、1919年3日での数(D) FallNote Data You Descripton	I.
SO JP Feet Suitus of message sent to home phone SO JWP Feet Sketus of message sent to work phone	
SQ PGR Text Status of message sent to pager SQ Fax Text Status of message sent to fax machine SQ PGPM Text Status of message sent to pager	
SO_FD1 Text Subus of message sent to future device SO_FD2 Text Subus of message sent to future device	
StartriphioteSound Text Initial Voice or sound File StartriphioteSound Text Sandard (Nost) Text-to-speech message	
TextPlag Text Message WorkPlag Text Value Recorded Message SoundPlag Text Sound part of the message	
Formatted/Msq Fext Formatted inessage file such as MS WCRD, HTML, etc formatted files GraphicsHsq Fext Graphics part of the message	
Moderlisg Text Moles part of the message	
FutureNeg3 Text Message for futurenessaging device 3 ChdneyNoceSound Text Intel® Vox Re	
	Tieth:
SDZone Text Scheduled Destination Zone SDD01 Text Scheduled Destination Data and Time	
Stone Text Scheduled Destination Zone	
Sizone Text Scheduled Destination Zone	
SQ2one Text Scheduled Destination Zone SDOI Text Scheduled Destination Zone SDOI Text Scheduled Destination Pate and Time Priority Number Priority Command Text Command text Command-lost Text Command to execute on this host Matchicalistion Number Automatic Excellation, G-MAD, 1=1/52, 2=5end to all messaging devices at once	
Sizone Text Scheduled Destination Zone	
Sizone Text Scheduled Destination Zone	
Sizone Text Scheduled Destination Zone Spot Text Scheduled Destination Zone Spot Text Scheduled Destination Date and Time Spot Text Scheduled Destination Date and Time Spot	
Sizone Test Scheduled Destination Zone SIZON Test Scheduled Destination Zone SIZON Test Scheduled Destination Tone SIZON Test Scheduled Destination Test and Time Priority Priority Command Test Command test Command test Command test Command test Autority Sizone Autority	
Sizone Text Scheduled Destination Zone Sizon Text Scheduled Destination Zone Sizon Text Scheduled Destination Tone Sizon Text Text Text Text Text Text Text Text	
Sizone Test Scheduled Destination Zone SIZON Test Scheduled Destination Zone SIZON Test Scheduled Destination Tone SIZON Test Scheduled Destination Test and Time Priority Priority Command Test Command test Command test Command test Command test Autority Sizone Autority	Section along Press FI for help on it.
Sizone Test Scheduled Destination Zone Sizon Test Scheduled Destination Zone Sizon Test Scheduled Destination Zone Sizon Test Scheduled Destination Zone Sizone Test Sizone Zone Privity Command Test Command box Command Test Command box Command Test Command box Autority Sizone Zone Autority Sizone Zone Autority Sizone Zone Autority Sizone Autority Si	Section of terms. Proc F1 for Just Inc.
Signary Test Scheduled Destination Zone Spot Test Scheduled Destination Zone Spot Test Scheduled Destination Date and Time	Sidd or a front Press FI for field on a

FIG. 2




FIG. 3




FIG. 4

The state of the s	COLUMN CONTRACTOR CONT	nmands : Table] Tools : Window : H	en .				
The second secon	The second second		2 2 3 3 3 6 A 7 D A 7 D	<u> </u>			
. Field	Name	Data Type	Description				
RecNum AutoNumber		AutoNumber	Unique record number				
UserID Text			Userid authorized to issue command				
UserIDName		Text	Name of the person owning this Userid				
Password		Text	: Password of the userid				
AuthCode Text			Authorization code to match before command can be accepted				
CommandNumber Number			A unique number corresponding to a command in the table				
CommandPath Text			Location / path where the command can be found on the host				
LIOSC	Host Text		Host where the command is to be executed				
Letterenante	The state of the s		Field Properties	мания при постава на при постава н Постава на при постава на при поста			
General Look Field Size New Values Format	ip Long Inte Incremen	and the commence of the 12 of the contract of					
Eaption Indexed	Yes (No E	Auplicates)	A field name can be up to 64 characters lor including spaces. Press F1 for help on field n	ng, ames			
esign view.: F6	= Switch pane	ss. F1 = Help.	NUM	i i			

FIG. 5

Rec		UserIDNa	m Password	AuthCode	Ta		4.4	
***************************************	1 544413988	SANJIY	XXXXXXXX	987654321	CommandNumber			Host
	2:544413988	SANJIV	XXXXXXXX	987654321		C:\RCE\Diag1.exe	SRV001	
	3.544413988	SANIV	XXXXXXXX	987654321		C:\RCE\Diag2.exe	SRV001	***************************************
······	4:544413988	SANJIV	XXXXXXXXX	987654321	3	C:VRCEVRPTX.exe	SRV002	* * * * *
	5 654789922	NEETU	:WWWW	021234567	4:	C:\RCE\Reboot.exe	SRV002	
	6.654789922	NEETU	WWWW	021234567	<u>1</u> :	C:\RCE\Diag1.exe	SRV001	
······	7 654789922	NEETU	wwww	021234567		C:\RCE\Diag2.exe	SRV001	*************
	8 654789922	NEETU	www	021234567	3:1	C:\RCE\RPTX.exe	SRV002	
	9 256900781	SHIVUM	ABCDEF	223344556	4:1	C:VRCEVReboot.exe	SRV002	
	10:256900781	SHIVUM	ABCDEF	223344556	<u>1:0</u>	C:\RCE\Diag1.exe	SRV001	**** *** **** *****
	11 256900781	SHIVUM	ABCDEF	223344556	2.0	C:\RCE\Diag2.exe	SRV001	•
	12 256900781		ABCDEF	223344556	3.0	::WCEWPTX.exe	SRV002	
	13.975317680		NKAAKN	131284131	4:0	:\RCE\Reboot.exe	SRV002	
********	17:975317680		NKAAKN	131284131	T.L	:\RCE2\Cmd1.exe	SRVM1	
	18 975317680		histe At D.	131284131		:\RCE2\DiagCMD2 &	SRV001	
AutoNu	19.975317680	NEIL	but co a con-	131284131	3:C	:VRCE2VAlert.exe	SRV002	***************************************
	The second secon	E PER PER PER PER PER PER PER PER PER PE		Annual Contract of the Contract of Contrac	4: C	:\RCE\Reboot.exe	SRV002	* *************************************
d: <u>11 4</u>	17	o of 17	menter between british	NAMES OF TAXABLE PARTY OF THE	U.	rationalism with the state of the same of		

FIG. 6

PER TO A DUI STANDA NAME AND A STANDARD	1 800
Fig_7_Sample_INI_File.txt - Notepad	
<u>Eile Edit Search Help</u>	
[DTE_Server]	
DTE-1_Server=216.87.148.210	
Port1=1001,1002	
DTE-2_Server=216.87.148.211	
Port1=1001,1002	
DTE-3_Server=216.87.148.212	
Port2=1001,1002	
••••	
••••	
[Automatic_Escalation]	
Escalation_Device_1=Fax	
Escalation_Device_2=Email	
Escalation_Device_3=Pager	
Escalation_Device_4=MobilePhone	
Escalation_Device_5=WorkPhone	
Escalation_Device_6=PamPilot	
Escalation_Device_7=HomePhone	
Escalation_Device_8=Future_Device	
FI-t-11:thi-iM-bi1	
[IntelligentDecisionMaking]	
AutomaticWakeupTimeComputation=ON	
AutomaticTimeZoneComputation=ON	
[Database]	
[Database] Database=C:\ape1d2\DTE Client.mdb	
haranaze=c:/ahe.ns/n.r="crrenc:man	
[ProcessRecs]	
Retries=3	
DelRecs=1	
Interval=60	
111161 491-00	
[License]	
Key=EMSG0000-BR01K2PSNEK-12/31/2001-11220ENG	
ney chouded bhomer ones 1270172001 112252114	
[Logging]	
Mode=NORMAL	
[Reports]	
REMail=SamWals2000@yahoo.com	
AutoRep=N	
••••	- 100 m
	Ľ
<u> 1</u>	1//

FIG. 7




FIG. 8

🍕 Microsoft Access - [Dire	ctory : l'able]	X D R			
Ele Edit Yew Insert	Iools Window Hel	<u>- 미 ×</u>			
Field Name	Data Type	Description • •			
® RecNum	AutoNumber	A unique record number			
UserID	:Text	Sender's userid (encripted)			
Password	Text	Sender's password (encripted)			
AuthCode	:Text	Sender's authorization code (encripted)			
Group .	Text	Name of the group to which this person belongs			
Mailing AD dress	Text	Mailing address			
email email	Text	Regular e-mail			
MP	Text	Mobile Phone			
™ HP	:Text	Home Phone			
WP	Text	Work Phone			
. PP	Text	Pager Pin			
PMN	Text	Pager Modem Number			
PE PE	Text	Pager e-mail			
∭ FN	:Text	Fax Number			
PPEM PPEM	Text	Palm Pilot e-mail			
FD1	Text	Future Messaging Device 1			
FD2	Text	Future Messaging Device 2			
FD3	Text	Future Messaging Device 3			
10 50	:				
	:				
		Field Properties			
General Lookup					
Field Size Long Inte	ger				
New Values Incremen	it				
Format	AND THE PROPERTY OF STREET, SAME AND THE PROPERTY OF THE PROPE	WARNING THE CONTROL OF THE CONTROL O			
Caption	the transportation of the contract of the cont				
	Suplicates)	The field description is optional. It helps you describe the field and is also displayed in			
BROACE 103 (NO.	Apicacos	If the status bar when you select this field on a form. Press F1 for help on descriptions.			
	us selection and				
Design view. F6 = 5witch pan	es.rl=Hesp.	NM /			

FIG. 9

FIG. 10

